

RUNRUNO TODAY AND THE FUTURE



*Manila Mining Club
10 June 2011*

IMPORTANT NOTICE

This presentation has been prepared by the management of Metals Exploration Plc and FCF Minerals Corporation for the benefit of the investing community including, brokers, fund managers, investors and analysts and not for the benefit of any particular person.

The information is based on publically available information, internally developed data and data from other external sources. No independent verification of either the internal or external information and data has been undertaken and where any opinion is expressed in this document it is based on the assumptions and limitations mentioned herein mentioned herein and is an expression of present opinion only. No warranties or representations can be made as to the origin, validity, accuracy, completeness, currency or reliability of the information. Metals Exploration Plc disclaims and excludes all liability (to the extent permitted by law), for losses, claims, damages, demands, costs and expenses of whatever nature arising in any way out of or in connection with the information, its accuracy, completeness or by reason of reliance by any person on any of it.

This presentation may contain certain “forward-looking statements” with respect to certain of Metals Exploration Plc’s and FCF Minerals Corporation’s plans and its current goals and expectations relating to its future financial condition, performance and results. By their nature, all forward looking statements involve risk and uncertainties that could cause actual results to differ materially from those expressed or implied by the forward looking statements because they relate to future events and circumstances which are beyond Metals Exploration Plc’s and FCF Minerals Corporation’s control including among other things, global economic business conditions, market related risks such as fluctuations in gold and copper prices, interest rates and exchange rates, initial operational risks, changes in the economic, political or legal regime in the Philippines, volatility of prices, environmental factors, equipment failure, as well as the impact of tax and other legislation and other regulations in the jurisdictions in which MTL and its affiliates operate. As a result, Metals Exploration Plc’s and FCF Minerals Corporation’s actual future financial condition, performance and results may differ materially from the plans, goals and expectations set forth in the forward looking statements.

Metals Exploration Plc’s and FC F Mineral Corporation undertakes no obligation to update the forward looking statements contained in this presentation or any other forward looking statements that it may make.

RUNRUNO PROJECT SUMMARY


Title:	Financial or Technical Assistance Agreement
Status:	Development ready, feasibility study - 2010
Mine life:	10.3 years
Payable Production:	1,006,000 ozs
Annual Production (ave.):	96,700 ozs (101,800ozs Au years 1-5 92,700 ozs Au years 6-10.3)
Capital Cost:	US\$149.3m
Cash Cost (Ave):	US\$ 477/ oz Au
IRR (@ US\$1,200 / oz Au):	29% post tax
Upside:	by product Mo, mine life extension
Location:	Central Luzon, Baragay Runruno, Municipality of Quezon, Province of Nueva Vizcaya.
Access:	by road 320km north of Manila



Note: Based on May 2010 Feasibility Study – estimated in Q4 2009 US\$

REGIONAL LOCATION

“Project is well served by existing infrastructure.”



Airfield - Bagabag airfield 5 kms north of Solano

Road - upgrade allowed along parts of the road. Currently passable all year.

Power supply - switch yard in Bayombong will be the origin for the new 69Kv line to site, running along the new road

FTAA boundary

Runruno Project


RESOURCES & RESERVES

March 2011 Resource & Reserve Statement

Resource Category	Ore	Gold		Molybdenum	
	Mt	g/t	M Oz	ppm	M lbs
Measured	11.2	1.88	0.68	604	14.9
Indicated	7.0	1.64	0.37	425	6.5
Inferred	7.5	1.44	0.35	253	4.2
Total	25.7	1.69	1.39	453	25.6

Reserve Category	Ore	Gold		Molybdenum	
	Mt	g/t	M Oz	ppm	M lbs
Proven	10.2	1.90	0.62	616	13.9
Probable	4.8	1.77	0.27	414	4.4
2P Reserves	15.0	1.85	0.90	603	18.3
Additional Inferred Resource in-pit	2.9	1.73	0.16	258	1.7

- Resource estimate updated in March 2011 to include all 807 drill holes completed (110,427m) and assays returned by the end of February 2010
- The combined M&I resource of 1,050,000oz gold now comprises 75% of the total
- In addition to the 2P reserves, 2.9 Mt @ 1.73 g/t Au; 260ppm Mo of Inferred mineral resource is included in the mine schedule after allowing for the mining parameters




PROJECT DESCRIPTION

Five key components:

- **Mine Open Pit and Run of Mine (ROM) Pad;**
- **Process Plant** facility consisting of conventional crushing, grinding, flotation, along with BIOX® and gravity recovery;
- **Tailings Storage Facility (TSF):** to ensure materials are properly managed and to reclaim water for the project;
- **On Site Infrastructure:** offices, workshops, accommodation, haul roads and water supply; and,
- **Off Site Infrastructure:** access road improvement, 69kV powerline and water supply.

Project footprint is 420 hectares.



MINE PIT

- Open pit area - 600m x 1,500m
- 1.75 Mtpa ore - transported by conveyor to the Process Plant.
- 9.1 Mtpa overburden - used for the construction of the Tailings Storage Facility and in-pit backfill.
- During the first three years, waste material will be used in the construction of the Tailings Storage Facility dam wall.
- Remainder of waste disposed in [pit](#).

Mining Method


- Conventional open cut, excavator and truck operation.
- Mining fleet - 7x100 t haul trucks, 2 excavators and ancillary fleet.

Mining Estimates

- Mine grade 1.85g/t Au, 603 ppm Mo
- 5% mining loss allowed
- Pit optimised using Whittle modelling
- Av Production - 96,700 oz Au
- Operating strip ratio of 5.2:1

Mining Methods

- Open cut, truck and shovel operation
- Ore crushed adjacent to pit and conveyed to process plant
- Waste rock stored in pit where possible
- Tailings dam site within project boundary



PROCESS PLANT


- Ore contains free and refractory Gold and Molybdenite
- Gold circuit demonstrated by extensive testwork including 20t pilot plant
 - Gravity recovery – 30% of gold
 - Flotation to gold rich concentrate
 - BIOX® to oxidise sulphides
 - Carbon in leach to recover gold doré
 - Cyanide destruct and tailing neutralisation
 - Tailings stored in purpose constructed facility

- Molybdenum circuit
 - Method to recover moly dissolved during the BIOX® process being developed

Testwork undertaken by Metcon, Burnie, Ammtec, Electrometals, Goldfields and SGS (SA) laboratories



PROCESS FLOW DIAGRAM



TAILINGS STORAGE FACILITY

Tailing Storage Facility (TSF)

- Storage of treated tailings in valley adjacent to the Process Plant.
- 2 year starter embankment established using pit pre-strip.
- Dam lifted to final height during initial 3 years of production.
- Designed to national and international standards for the safe and environmentally acceptable storage of tailings.



Deposition of Tailings


- Tailings treated to destroy cyanide.
- Tailings will be pumped from the Process Plant to the TSF through a pipeline contained in an open earthworks bund.
- Sub-aqueous disposal of tail materials.

Reclaim of Water

- Reclaim water from the TSF used to support the processing operation. Little to no make up from other sources.

WATER SUPPLY

- Water usage will be effectively managed to minimise the amount of water drawn from local rivers and to maximise the water returned from the TSF.
- Potable water will be sourced from the Lintungan River and this will be supplied to the Runruno Village and Process Plant.
- Process water supply will be sourced from the TSF return water. Make-up raw water that will be required at project start up and as required from the Sulong River.
- It is anticipated that TSF return water, which will include direct precipitation, will exceed the project's requirements and will require to be discharged. This water will undergo treatment to meet Philippines water quality standards.




OFF-SITE INFRASTRUCTURE

Access Road

- Improvement of the Quezon to Runruno Access Road.

Power Supply


- Estimated average power usage of 13MW.
- Access to the power national grid and hydroelectric power stations.
- Switch yard located at Bayombong.
- 36 km dedicated 69 kV Powerline to be constructed to site.
- 6MVA diesel generation set to provide emergency backup power.




CURRENT SITE ACTIVITIES

- Exploration
- Land Acquisition and Small Scale Miners
- Environment Management
- Safety and Health
- Information, Communication and Education (ICE)
- Community Relations and Development

EXPLORATION MODEL



Runruno - 1.5 Mozs Inferred, Indicated & Measured



Cripple Creek - 23 Mozs historic production


Photograph by Pierre Perroud

"In short, the Runruno gold deposit is remarkable in terms of its shared characteristics with other alkaline epithermal deposits, including Cripple Creek, Colorado"

(Dr Eric Jensen PhD - February 2008)

EXPLORATION

- Gold-in-soil anomalies scattered over the sampled area – similar to Cripple Creek’s historic mines
- Aeromagnetics flown
- Soil sampling ongoing, clear anomalies defined
- Gold and copper targets
- Demonstrated potential to expand on current resource base
- Step out and target drilling ongoing



ENVIRONMENTAL MANAGEMENT

Rehabilitation

- Slope Stabilization
 - soil filled bags
 - coco-matting
 - silt fencing
- Revegetation
 - napier grass (endemic)
 - vetiver grass (propagated)
- Drainage Canal Maintenance



Before



After 2 months



After 6 months

ENVIRONMENTAL MONITORING

Water Quality Monitoring



ENVIRONMENTAL MONITORING

Stream Flow and Groundwater Discharge Monitoring



ENVIRONMENTAL MONITORING

Air Quality and Ambient Noise Monitoring



MINING FOREST PROGRAM

Reforestation program

- Memorandum of Agreement with surface owner, FCF, DENR, NVSU
- Reforested area: 43.03 hectares as of March 2011
- 2008, 2009, 2010: 1st Runner Up Best Mining Forest Program , PMEIA (Exploration Category)



Tree Planting Activities

SAFETY AND HEALTH

Safety Statistics

The Project maintained a Zero Non Lost Time Accident (NLTA).



Safety induction is conducted to all new employees and visitors.

Regular safety meetings discussions on safety concerns

INFORMATION, COMMUNICATION AND EDUCATION (ICE)

FCF performs Information, Communication and Education (ICE) campaigns

- To shape desirable social opinion about the company and its current activities.
- To provide social understanding of the mines and geosciences, encourage on the social responsibility to the environment including effective management and mitigation, awareness on health, sanitation and safety
- Community engagement towards development.



Project Presentation and Site Visits

INFORMATION, COMMUNICATION AND EDUCATION (ICE)

- Community Engagements
- Trainings and Seminars
- FCF Chronicle Bi-Monthly Publication



COMMUNITY RESPONSIBILITY

Livelihood Projects



Runo Craft



Banana Chip Making



Junk Shop



Hammock Making



Soft Broom Making



Basic Sewing Course

COMMUNITY RESPONSIBILITY



Education



COMMUNITY RESPONSIBILITY

Basic Infrastructure Development



Hanging Bridge



Daycare Center



Community Clinic



Waiting Shed




Tire Path



Irrigation Canal

THE FUTURE – CONSTRUCTION

SIMPLIFIED CORPORATE STRUCTURE



Capital Structure:

- | | |
|--------------------|-------------------------------|
| ▪ Ticker Symbol: | LSE : MTL |
| ▪ Shares in Issue: | 462.4M (736.2M fully diluted) |
| ▪ Share Price: | 13p |
| ▪ Market Cap: | £60.1M / \$US 98.6 |

Significant Shareholders:**

- | | |
|----------------------------|---------|
| ▪ Solomon Capital Limited | 31.92 % |
| ▪ Shelfco 724 Limited | 21.63 % |
| ▪ Runruno Holdings Limited | 16.64 % |
| ▪ Williams de Broe | 8.15 % |
| ▪ Graham Edwards | 4.11 % |

CONSTRUCTION PHILOSOPHY

- Strong experienced owners team
- GMP – EPC execution philosophy for highest risk most technical area – Process Plant.
 - Appoint an Engineer / Constructor with demonstrated performance.
 - Incentivise by sharing upside i.e. Cost savings.
- Develop supporting infrastructure using discrete contracts and design and erect packages:
 - Access road,
 - Site establishment,
 - Camp,
 - Power, and
 - Office, workshop and general facilities.
- Self perform mine pre- strip and tailings storage facility (TSF) construction using mine fleet and sub-contractors.
- Supervision by Owner’s Team and sub contracted experts e.g. GHD on TSF, GMF and PAIE processing plant.
- Use of local contractors wherever possible subject to skill and price

TIMETABLE

Milestones	Achievements	Forthcoming
Scoping Study	✓ Completed in November 2008	-
FTAA awarded for Runruno Project	✓ November 2010	-
Independent Resource verification	✓ Completed in November 2009	-
Environmental Compliance Certificate (ECC)	✓ Granted in February 2010	-
Feasibility Study	✓ Delivered in May 2010	-
Exploration Step out Drilling & Molybdenum Recovery	✓ Underway	-
Permitting – SDMP, EPEP, FMRDP	✓ <u>Completed</u>	-
Upgrade Reserve and pit design	✓ Completed May 2011	-
Declaration of Mine Feasibility (DMF)	✓ All requirements completed	Q2 2011 ?
Commence pre-sanction works		Q3 2011 ?
Financing	In progress	Q3 2011 ?
Sanction		Q3 2011 ?
Commence production		Q2 2013 ?

Thank You.